



Edgeworth's Conjecture in Economies
With a Continuum of Agents and Commodities

Aldo Rustichini Nicholas C. Yannelis

The Library of the APR 2 4 1990

University of Ulinois of Urbane-Okampaign





BEBR

FACULTY WORKING PAPER NO. 90-1645

College of Commerce and Business Administration

University of Illinois at Urbana-Champaign

March 1990

Edgeworth's Conjecture in Economies
With a Continuum of Agents and Commodities***

Aldo Rustichini*

and

Nicholas C. Yannelis**

*Department of Economics, Northwestern University, Evanston, IL 60208
**Professor, Department of Economics, University of Illinois, Champaign, IL 61820
***This is a revised version of our paper entitled, "Core-Walras Equivalence in
Economies with a Continuum of Agents and Commodities" written in 1986. We are
indebted to Jean-Fransois Mertens for his thoughtful comments and suggestions. Also
we would like to acknowledge helpful discussions with Harrison Cheng, M. Ali Khan,
Joe Ostroy, Ket Richter, and Bill Zame. A referee helped us improve the final
version, and thanks are due to him for his useful comments. Needless to say, we are
responsible for any remaining shortcomings.



ABSTRACT

This paper contains the following results for economies with infinite dimensional commodity spaces. (i) We establish a core-Walras equivalence theorem for economies with an atomless measure space of agents and with an ordered separable Banach commodity space whose positive cone has a non-empty norm interior. This result includes as a special case the Aumann (1964) and Schmeidler-Hildenbrand, [Hildenbrand (1974, p.33)] finite dimensional theorems. (ii) We provide a counterexample which shows that the above result fails in ordered Banach spaces whose positive cone has an empty interior even if preferences are strictly convex, monotone weakly continuous and initial endowments are strictly positive. (iii) Using the assumption of an "extremely desirable commodity" (which is automatically satisfied whenever preferences are monotone and the positive cone of the commodity space has a non-empty interior), we establish core-Walras equivalence in any arbitrary separable Banach lattice whose positive cone may have an empty (norm) interior.

<u>key-words:</u> Core, Walrasian equilibrium, Banach lattice, Bochner integral, integral of a set-valued function, extremely desirable commodity.

Digitized by the Internet Archive in 2011 with funding from University of Illinois Urbana-Champaign

I. INTRODUCTION

Two of the most widely used solution concepts in economic theory are the competitive equilibrium and the core. The first concept is usually associated with Walras, and refers to the noncooperative allocation of resources via a price system. The essential idea behind this concept is that when agents are assumed to know only the price system (which they treat parametrically) and their own preferences and endowments, then are allowed to trade freely in a decentralized market, this process results in allocations which maximize agents' utilities (subject to their budgets) and equate supply with demand. The second concept is usually associated with Edgeworth, and refers to the allocation of resources via a pure quantity bargaining process. The essential idea behind this concept is that when agents are allowed to bargain freely (either multi- or bilaterally), this process leads to an allocation of resources where it is not possible for any coalition of agents to redistribute their initial endowments among themselves in any way that makes each member of the coalition better off. Thus, in contrast to the competitive equilibrium, the core allows for the possibility of cooperation among agents in the economy.

A classical conjecture about the relationship between these two concepts, attributed to Edgeworth, is that the core shrinks to the competitive equilibrium as the number of agents in the economy becomes large. This conjecture, often called the Edgeworth conjecture, and indeed the notion of the core (although not by this name) were first discussed by Edgeworth in 1881. However, the core was not the subject of modern research until it was formally introduced in the general (mathematical) theory of games by Gillies in 1953. Aumann (1964), in a pathbreaking paper, reformulated rigorously the Edgeworth conjecture by showing

that in perfectly competitive economies (i.e., economies with an atomless measure space of agents) with finitely many commodities, the core coincides with the competitive (or Walrasian) equilibrium. Hence, in perfectly competitive economies, core allocations completely characterize competitive equilibrium allocations.

The formal proof of this coincidence result has come to be known as the core-Walras equivalence theorem. In the past two decades, many researchers have studied this problem extensively in economies with finitely many commodities. This research has led to very general core-Walras equivalence results and approximate core-Walras equivalence results in economies with finitely many commodities. However, since our goal in this paper is to study core-Walras equivalence results in economies with infinitely many commodities, we will not elaborate further on these finite dimensional results except where they have particular bearing on our work. However, we do refer the reader to Anderson (1986) or Emmons-Yannelis (1985) for a survey of this interesting literature.

Before proceeding to a discussion of the main results of our paper, it may be useful to discuss the general importance of infinite dimensional commodity spaces in economics. As others have observed (e.g., Court (1941), Debreu (1954), Gabszewicz (1967), Bewley (1970), Mertens (1970) and Peleg-Yaari (1970)), infinite dimensional commodity spaces arise very naturally in economics. In particular, an infinite dimensional commodity space may be desirable in problems involving an infinite time horizon, uncertainty about the possibly infinite number of states of nature of the world, or infinite varieties of commodity characteristics. For instance, the Lebesgue space L_{∞} of bounded measurable functions on a measure space considered by Bewley (1970), Gabszewicz

(1968) and Mertens (1970) is useful in modeling uncertainty or an infinite time horizon. The space $\rm L_2$ of square-integrable functions on a measure space is useful in modeling the trading of

long-lived securities over time.

In this paper, we study core-Walras equivalence results for perfectly competitive economies with an infinite dimensional commodity space which is general enough to include all of the spaces that have been found most useful in equilibrium analysis. The results that we obtain in this context are three-fold:

Firstly, we prove core-Walras equivalence results for perfectly competitive economies with an infinite dimensional commodity space whose positive cone has a non-empty (norm) interior. Parts of this problem have been addressed by other researchers (i.e., Gabszewicz (1968), Mertens (1970) and Bewley (1973) for the space L_{∞}). However, since our assumptions are less restrictive than those adopted in these previous papers, we obtain as corollaries of our results the finite dimensional theorems of Aumann (1964) and Hildenbrand (1974, Theorem 1, p. 133). The proof of this result is similar in spirit to that of Hildenbrand, except that owing to the infinite dimensional setting, we appeal to results on the integration of correspondences having values in a Banach space. The work of Khan (1985) is especially helpful in this regard.

Secondly, in infinite dimensional commodity spaces whose positive cone has an empty (norm) interior, we show that even under quite strong assumptions on preferences and endowments, core-Walras equivalence fails. In particular, we show that even when preferences are strictly convex, monotone, and weakly continuous and initial endowments are strictly positive, core-Walras equivalence

fails to hold. It is interesting to note that this failure results despite the fact that these assumptions are much stronger than the standard assumptions which guarantee equivalence in either Aumann and Hildenbrand or our first theorem.

Thirdly, we obtain core-Walras equivalence for infinite dimensional commodity spaces (in particular, Banach lattices) whose positive cone may have an empty (norm) interior and are general enough to cover the spaces $L_{_{\rm D}}$ (1 \leq p <∞). In view of the above counterexample to core-Walras equivalence in spaces whose positive cone has an empty interior, we use the assumption of an extremely desirable commmodity introduced in Yannelis-Zame (1986), which in turn is related to the condition of uniform properness in Mas-Colell (1986). 2 assumption is essentially a bound on the marginal rates of substitution, and in practice turns out to be quite weak. For instance it is automatically satisfied whenever preferences are monotone and the positive cone of the commmodity space has a non-empty (norm) interior. Hence, this assumption is implicit in any infinite dimensional commodity space whose positive cone has a nonempty interior, and is automatically satisfied in the finite dimensional work of Aumann (1964) and Hildenbrand (1974). We also wish to note that in addition to the assumption of an extremely desirable commodity, the lattice structure of the commodity space will play a crucial role in our analysis.

The remainder of the paper is organized as follows: Section 2 contains notation and definitions. The economic model is outlined in Section 3. In Section 4 we state and prove a core-Walras equivalence theorem for an ordered separable Banach space of commodities, whose positive cone has a non-empty (norm) interior. The failure of this result for spaces whose positive cone has

an empty interior is established in Section 5. In Section 6, we prove a Core-Walras equivalence result for a commodity space which can be any arbitrary separable Banach lattice, whose positive cone may have an empty (norm) interior. Finally, some concluding remarks are given in Section 7.

2. NOTATION AND DEFINITIONS

2.1 Notation

- R^{ℓ} denotes the ℓ -fold Cartesian product of the set of real numbers R. intA denotes the interior of the set A.
- 2^{A} denotes the set of all nonempty subsets of the set A.
- denotes the empty set.
- / denotes the set theoretic subtraction.

dist denotes distance.

If $A \subset X$ where X is a Banach space, $c \ell A$ denotes the norm closure of A.

If X is a Banach space its dual is the space X* of all continuous linear functionals on X.

If $q \in X^*$ and $y \in X$ the value of q at y is denoted by $q \cdot y$.

2.2 <u>Definitions</u>

Let X, Y be sets. The graph of the correspondence $\phi: X \to 2^Y$ is denoted by $G_{\phi} = \{(x,y) \in X \times Y : y \in \phi(x)\}$. Let (T,τ,μ) be a finite measure space, and X be a Banach space [for a treatment of infinite dimensional vector spaces see Aliprantis-Burkinshaw (1978, 1985)]. The correspondence $\phi: T \to 2^Y$ is said to have a measurable graph if $G_{\phi} \in \tau \otimes \beta(X)$, where $\beta(X)$ denotes the Borel σ -algebra on X and \otimes denotes product σ -algebra. A function $f: T \to X$ is called simple if

there exist x_1, x_2, \ldots, x_n in X and a_1, a_2, \ldots, a_n in τ such that $f = \sum_{i=1}^n x_i x_{a_i}$ where $x_{a_i}(t) = 1$ if $t \in a_i$ and $x_{a_i}(t) = 0$ if $t \notin a_i$. A function $f : T \to X$ is said to be μ -measurable if there exists a sequence of simple functions $f_n : T \to X$ such that $\lim_{n \to \infty} ||f_n(t) - f(t)|| = 0$ μ -a.e. A μ -measurable function $f : T \to X$ is said to be Bochner integrable if there exists a sequence of simple functions $\{f_n : n=1,2,\ldots\}$ such that

$$\lim_{n\to\infty} \int_T \|f_n(t) - f(t)\| d\mu(t) = 0.$$

In this case we define for each $E \in \tau$ the integral to be $\int_E f(t) d\mu(t) = \lim_{n \to \infty} \int_E f_n(t) d\mu(t)$. It can easily be shown (see Diestel-Uhl (1977, p.45)) that if $f: T \to X$ is a μ -measurable function then f is Bochner integrable if and only if $\int_T \|f(t)\| d\mu(t) < \infty$. We denote by $L_1(\mu,X)$ the space of equivalence classes of X-valued Bochner integrable functions $x: T \to X$ normed by $\|x\| = \int_T \|x(t)\| d\mu(t)$. Moreover, we denote by S_ϕ the set of all X-valued Bochner integrable selections from the correspondence $\phi: T \to 2^X$, i.e.

$$S_{\phi} = \{x \in L_{1}(\mu, X) : x(t) \in \phi(t) \mu \text{-a.e.}\}.$$

As in Aumann (1966), the <u>integral of the correspondence</u> ϕ : T \rightarrow 2^X is defined as:

$$\int_{\mathbb{T}} \phi(\mathsf{t}) \, \mathrm{d}\mu(\mathsf{t}) \; = \; \{ \int_{\mathbb{T}} \mathsf{x}(\mathsf{t}) \, \mathrm{d}\mu(\mathsf{t}) \; : \; \mathsf{x} \in \mathsf{S}_{\phi} \} \, .$$

In the sequel we will denote the above integral by $\int\!\!\phi \ {\rm or} \ \int_{\rm T}\!\!\phi \,.$

3. ECONOMY, CORE AND COMPETITIVE EQUILIBRIUM

Denote by E the commodity space. Throughout this section the commodity space E will be an ordered Banach space (see Aliprantis-Burkinshaw (1985)). We will denote by E and E the positive and negative cones of E respectively.

An economy ϵ is a quadruple $[(T, \tau, \mu), X, >, e]$ where

- (1) (T, τ, μ) is a measure space of agents,
- (2) $X : T \rightarrow 2^{E}$ is a consumption correspondence,
- (3) $>_t \subset X(t) \times X(t)$ is the preference relation of agent t, and
- (4) e : T \rightarrow E is the <u>initial endowment</u>, where e is Bochner integrable and $e(t) \in X(t)$ for all $t \in T$.

An allocation for the economy ϵ is a Bochner integrable function $x:T\to E_+$. An allocation x is said to be <u>feasible</u> if $\int_T x(t) d\mu(t) = \int_T e(t) d\mu(t)$. A <u>coalition</u> S is an element of τ such that $\mu(S) > 0$. The coalition S can <u>improve upon</u> the allocation x if there exists an allocation y such that

- (i) $g(t) >_t x(t) \mu$ -a.e. in S, and
- (ii) $\int_{S} g(t) d\mu(t) = \int_{S} e(t) d\mu(t)$.

The set of all feasible allocations for the economy ϵ that no coalition can improve upon is called the <u>core</u> of the economy ϵ and is denoted by $C(\epsilon)$.

An allocation x and a price $p \in E_+^* \setminus \{0\}$ are said to be a <u>competitive</u> equilibrium (or a <u>Walras equilibrium</u>) for the economy ϵ , if

- (i) x(t) is a maximal element of $>_t$ in the budget set $\{y \in X(t) : p \cdot y \le p \cdot e(t)\} \mu$ -a.e., and
- (ii) $\int_{\mathbf{T}} \mathbf{x}(t) d\mu(t) = \int_{\mathbf{T}} e(t) d\mu(t)$

We denote by $W(\epsilon)$ the set of all competitive equilibria for the economy ϵ .

4. CORE-WALRAS EQUIVALENCE IN ORDERED BANACH SPACES
WHOSE POSITIVE CONE HAS A NON-EMPTY NORM INTERIOR

We begin by stating some assumptions needed for the proof of our core-Walras equivalence result.

- (a.0) E is an ordered separable Banach space whose positive cone E has a non-empty norm interior, i.e., $intE_{+} \neq \phi$.
- (a.1) (Perfect Competition): (T, τ, μ) is a finite atomless measure space.
- (a.2) $X(t) = E_+$ for all $t \in T$.
- (a.4) (Continuity): For each $x \in E_+$ the set $\{y \in E_+: y >_t x\}$ is norm open in E_+ for all $t \in T$.
- (a.5) $>_t$ is irreflexive and transitive for all teT.
- (a.6) (Measurability): The set $\{(t,y) \in T \times E_+ : y >_t x\}$ belongs to $\tau \otimes \beta(E_+)$.
- (a.7) (Monotonicity): If $x \in E_+$ and $v \in E_+ \setminus \{0\}$, then $x + v >_t x$ for all $t \in T$.

We are now ready to state our first result. We wish to note that this result for E = C(X), (where C(X) denotes the space of continuous functions on a compact metric space X) was first proved by Gabszewicz, and it is attributed to him.

Theorem 4.1: Under assumptions (a.0) - (a.7), $C(\epsilon) = W(\epsilon)$.

Remark 4.1: Note that the assumptions of the above theorem correspond to those in Aumann (1964) in the setting of an ordered separable Banach space E of commodities. It can easily be seen that for $E = R^{\ell}$, Theorem 4.1 gives as a corollary Aumann's (1964) core equivalence result, (as well as Hildenbrand's (1974, Theorem 1, p. 133)) core-Walras equivalence theorem). It may be instructive at this point to note that Bewley's (1973) infinite dimensional extension of Aumann's core equivalence theorem does not provide the above results as a corollary because it is based on stronger assumptions than those adopted by Aumann and Hildenbrand.

4.1 Proof of Theorem 4.1

The fact that $W(\epsilon) \subset C(\epsilon)$ is well known, and therefore its proof is not repeated here. We begin the proof by assuming that the allocation x is an element of the core of ϵ . We wish to show that for some price p, the pair (x,p) is a competitive equilibrium for ϵ .

To this end, define the correspondence $\phi: T \to 2^{E_+}$ by $(4.0) \quad \phi(t) = \{z \in E_+ : z >_t x(t)\} \cup \{e(t)\}.$

We claim that:

(4.1)
$$c\ell(\int_T \phi - \int_T e) \cap int E_= \phi$$
,

or equivalently, 5

(4.2)
$$(\int_{T} \phi - \int_{T} e) \cap \text{int } E = \phi.$$

Suppose otherwise, i.e.,

$$(\int_{T} \phi - \int_{T} e) \cap \text{int } E_{\neq} \phi$$

then there exists $v \in \text{int } E_+$ such that

$$(4.3) \quad \int e - v \in \int \phi.$$

It follows from (4.3) that there exists a function $y: T \to E_+$ such that

$$(4.4) \int_{T} y = \int_{T} e - v,$$

and $y(t) \in \phi(t)$ μ -a.e.

Let

$$S = \{t : y(t) >_t x(t)\}, \text{ and }$$

$$S' = \{t : y(t) = e(t)\}.$$

Since $\int y \neq \int e$ we have that $\mu(S) > 0$. Define $\tilde{y}: S \to E_+$ by $\tilde{y}(t) = y(t) + \frac{v}{\mu(S)}$ for all $t \in S$. By monotonicity (assumption (a.7)) $\tilde{y}(t) >_t y(t)$. Since $y(t) >_t x(t)$ for all $t \in S$, by transitivity (assumption (a.5)) $\tilde{y}(t) >_t x(t)$ for all $t \in S$. Moreover, it can be easily seen that $\tilde{y}(\cdot)$ is feasible for the coalition S, i.e.,

$$\begin{split} \int_S \widetilde{y} &= \int_S y + v = \int_T y - \int_S, e + v \\ &= \int_T e - \int_S, \ e = \int_S e, \ (\text{recall } (4.4)). \end{split}$$

Therefore, we have found an allocation $\tilde{y}(\cdot)$ which is feasible for the coalition S and is also preferred to the allocation x, which in turn was assumed to be in the core of ϵ , a contradicton which establishes the validity of (4.1).

We may now separate the set $c\ell(\int \phi - \int e) = c\ell \int \phi - \int e$ from int E. Clearly the set int E is convex and non-empty. We wish to show that $c\ell \int \phi - \int e$ is

convex and non-empty as well. Observe first that by the definition of $\phi(\cdot)$, 0 is an element of $\int \phi$ - $\int e$ and this shows that $c \ell \int \phi$ - $\int e$ is non-empty. Since, (T,τ,μ) is atomless (assumption (a.1)) by Theorem 1 in Khan (1985) or Theorem 4.2 in Hiai-Umegaki (1977), $c \ell \int \phi$ is convex. Thus, by Theorem 9.10 in Aliprantis-Burkinshaw (1985, p.136) there exists a continuous linear functional $p \in E^* \setminus \{0\}$, $p \geq 0$ such that

$$(4.5) \quad p \cdot y \ge p \cdot \int e \text{ for all } y \in \int \phi.$$

Since by assumption (a.6), $>_{t}$ has a measurable graph, so does ϕ , i.e., $G_{\phi} \in \tau \otimes \beta(E_{+}).$ Therefore, it follows from Theorem 2.2 in Hiai-Umegaki (1977) that

(4.6) inf
$$p \cdot y = \int \inf p \cdot z \ge \int p \cdot e$$
.
 $y \in \int \phi$ $z \in \phi$

It follows from (4.6) that

(4.7)
$$\mu$$
-a.e. $p \cdot z \ge p \cdot e(t)$ for all $z >_{t} x(t)$.

To see this, suppose that for $z \in \phi(\cdot)$, $p \cdot z for all <math>t \in S$, $\mu(S) > 0$.

Define the function \tilde{z} : $T \rightarrow E_{+}$ by

$$\tilde{z}(t) = \begin{cases} z(t) & \text{if } t \in S \\ e(t) & \text{if } t \notin S. \end{cases}$$

Obviously, $\tilde{z} \in \phi(\cdot)$. Moreover,

$$\int_{T} p.\tilde{z} = \int_{S} p \cdot z + \int_{T \setminus S} p \cdot e$$

$$<\int_{S} p \cdot e + \int_{T \setminus S} p \cdot e = \int p \cdot e,$$

a contradiction to (4.6).

We now show that μ -a.e. $p \cdot x(t) = p \cdot e(t)$. First note that it follows directly from (4.7) that $p \cdot x(t) \ge p \cdot e(t)$ μ -a.e. If now $p \cdot x(t) > p \cdot e(t)$ for all $t \in S$, $\mu(S) > 0$ then,

contradicting $\int_T x = \int_T e$, since $p \ge 0$, $p \ne 0$.

To complete the proof we must show that x(t) is maximal in the budget set $\{z \in E_+ : p \cdot z \le p \cdot e(t)\}$ $\mu\text{-a.e.}$ The argument is now routine. Since $\int_T e$ is strictly positive (assumption (a.3)) it follows that $\mu(\{t : p \cdot e(t)\}) > 0$, for if $p \cdot e(t) = 0$ $\mu\text{-a.e.}$ then $p \cdot \int_T e = 0$ contradicting the fact that $\int_T e$ is strictly positive since $p \ge 0$, $p \ne 0$.

Thus, we can safely pick an agent t with positive income, i.e., $p \cdot e(t) > 0$. Since $p \cdot e(t) > 0$ there exists an allocation x' such that $p \cdot x' . Let <math>y$ be such that $p \cdot y \le p \cdot e(t)$ and let $y(\lambda) = \lambda x' + (1-\lambda)y$ for $\lambda \in (0,1)$. Then for any $\lambda \in (0,1)$, $p \cdot y(\lambda) and by <math>(4.7)$ $y(\lambda) \not>_t x(t)$. It follows from the norm continuity of $>_t$ (assumption (a.4)) that $y \not>_t x(t)$. This proves that x(t) is maximal in the budget set of agent t, i.e., $\{w : p \cdot w \le p \cdot e(t)\}$. This, together with the monotonicity of preferences (assumption (a.7)) implies that prices are strictly positive, i.e., p >> 0. Indeed, if there exists $v \in E_+ \setminus \{0\}$ such that $p \cdot v = 0$ then $p \cdot (x(t) + v) = p \cdot x(t) = p \cdot e(t)$ and by monotonicity $x(t) + v >_t x(t)$ contradicting the maximality of x(t) in the budget set.

Thus p >> 0 and x(t) is maximal in the budget set whenever p \cdot e(t) > 0. Consider now an agent t with zero income, i.e., p \cdot e(t) = 0. Since p >> 0

his/her budget set $\{z:p\cdot z=0\}$ consists of zero only, and moreover, $p\cdot x(t)=p\cdot e(t)=0$. Hence, x(t)=0 for almost all $t\in T$, with $p\cdot e(t)=0$; i.e., zero in this case is the maximal element in the budget set. Consequently, (p,x) is a competitive equilibrium for ϵ , and this completes the proof of Theorem 4.1.

5. THE FAILURE OF THE CORE-WALRAS EQUIVALENCE IN COMMODITY

SPACES WHOSE POSITIVE CONE HAS AN EMPTY INTERIOR

In the previous section we showed that if the commodity space is an ordered separable Banach space E whose positive cone has a non-empty norm interior (i.e., intE $_+$ \neq φ), then the standard assumptions (i.e., the assumptions of Theorem 4.1) guarantee core-Walras equivalence. We now show that if the assumption that the positive cone of the space E has a non-empty norm interior is dropped, then Theorem 4.1 fails. The following example will illustrate this.

Example 5.1: Consider the economy $\epsilon = [(T, \tau, \mu), X, >, e]$ where,

- (1) the <u>space of agents</u> is T = [0,1], $\tau = Lebesgue measurable sets, <math>\mu = Lebesgue measure,$
- (2) the <u>consumption set</u> of each agent is, $X(t) = \ell_2^+$ for all $t \in T$, where ℓ_2 is the space of real sequences (a_n) for which the norm $\|a_n\| = (\Sigma \|a_n\|^2)^{1/2}$ is finite,
- (3) the <u>preference relation</u> of each agent >_t, is represented by a strictly concave, monotone weakly continuous utility function,

i.e.,
$$u_t(x) = \sum_{i=1}^{\infty} i^{-2}(1-\exp(-i^2x_i))$$
 for all $t \in T$, and

(4) the <u>initial endowment</u> of each agent is $e(t) = e = (\frac{1}{2})_{i=1}^{\infty}$ for all $t \in T$.

We will show that for the above economy, $C(\epsilon) \neq \varphi$ and $W(\epsilon) = \varphi$. In particular, we will show that the core of ϵ is unique and consists of the initial endowment e, i.e., $C(\epsilon) = \{e\}$ and $W(\epsilon) = \varphi$. The latter (i.e., $W(\epsilon) = \varphi$) will easily follow from the fact that $C(\epsilon) = \{e\}$. Indeed, since $W(\epsilon) \subset C(\epsilon)$, $W(\epsilon) \subset \{\{e\}, \varphi\}$, but the only candidate as a supporting price p for the allocation e are multiples of $p = (1,1,\ldots)$ which are not in the dual of ℓ_2 . Hence, all we need to show is that $C(\epsilon) = \{e\}$.

To prove that $C(\epsilon) = \{e\}$ we will first need to show that e is Pareto optimal, i.e., there does not exist a feasible allocation x such that $u(x(t)) \geq u(e)$ for all $t \in T$ and u(x(t)) > u(e) for all $t \in S$, $S \subset T$, $\mu(S) > 0$ (note that the subscript t on u is dropped). To this end suppose by way of contradiction that there exists an allocation x such that $\int_T x = \int_T e \equiv e$, $u(x(t)) \geq u(e)$ for all $t \in T$ and u(x(t)) > u(e) for all $t \in S$, $\mu(S) > 0$. Without loss of generality we may assume that there exist positive real numbers ν , δ , with $u(x(t)) \geq u(e) + \nu$, $t \in S$, $\mu(S) = \delta$. Extend x to \tilde{x} defined on the interval [0,1] as $\tilde{x}(t) = x(t-\{t\})$, ([t] = the integer part of t), and let $x^k(t) = \sum_{i=0}^{k-1} \tilde{x}(t+\tilde{k}) / k$

Then

$$\int_{0}^{1} u(x^{k}(t)) d\mu(t) = \int_{0}^{1} u(\sum_{i=0}^{k-1} \tilde{x}(t+\frac{i}{k})/k) d\mu(t)
\geq \int_{0}^{1} \sum_{i=0}^{k-1} 1/k u(\tilde{x}(t+\frac{i}{k})) d\mu(t)
= \int_{0}^{1} u(x(t)) d\mu(t) \geq u(e) + \nu \delta.$$

Notice that each coordinate of $x^k(\cdot)$, denoted by $x_i^k(\cdot)$ (an $L_1[0,1]$ function), converges to e_i μ -a.e. (indeed in L_1), so $x_i^k(t) = \sum\limits_{i=0}^{k-1} \widetilde{x}(t+\frac{i}{k})/k$ $\rightarrow \int_0^1 x_i(s) d\mu(s) = e_i$ for almost all t in T; so $x^k(t)$ converges weakly in ℓ_2 to e. Since u is weakly continuous it follows that $u(x^k(t)) \rightarrow u(e)$ μ -a.e. Notice that by definition, u is bounded. In particular, $u(x) < \frac{\pi^2}{6}$ for every $x \in \ell_2^+$ (recall the definition of $u(\cdot)$ in (3)) and therefore by the Lebesgue dominated convergence theorem $\lim_{k \to \infty} \int_0^1 u(x^k(t)) d\mu(t) = \int_0^1 \lim_{k \to \infty} u(x^k(t)) d\mu(t) = u(e) = u(fe)$, a contradiction to (5.1). Thus, e is Pareto optimal.

We are now ready to complete the proof of the fact that $C(\epsilon) = \{e\}$. To this end we first show that:

$$(5.2)$$
 $C(\epsilon) \subset \{e\}.$

Suppose that (5.2) is false, then there exists an allocation $x \in C(\epsilon)$ such that $x(t) \neq e$ for all $t \in S$, $\mu(S) > 0$. Let $\tilde{x} = \frac{x+e}{2}$. Then \tilde{x} is feasible and for all $t \in T$,

$$u(\tilde{x}(t)) > \frac{1}{2} u(x(t)) + \frac{1}{2} u(e)$$

 \geq u(e) (recall that u(x(t)) \geq u(e) for all t \in T since x \in C(ϵ)).

Moreover, by strict concavity of $u(\cdot)$ we have that

$$u(\tilde{x}(t)) > u(e)$$
 for all $t \in S$,

a contradiction to the fact that e is Pareto optimal.

We now show that:

(5.3) {e} $\subset C(\epsilon)$.

Suppose that (5.3) is false, then there exists a coalition S and an allocation x such that $\int_S x = \int_S e$ and u(x(t)) > u(e) for all $t \in S$. Define the allocation $\tilde{x}(\cdot)$ as follows:

$$\widetilde{x}(t) = \begin{cases} x(t) & \text{if } t \in S \\ e(t) & \text{if } t \notin S. \end{cases}$$

Then $u(\bar{x}(t)) \ge u(e)$ for all $t \in T$ and $u(\bar{x}(t)) > u(e)$ for all $t \in S$, contradicting the fact that e is Pareto optimal.

It follows from (5.2) and (5.3) that $C(\epsilon) = \{e\}$ and this completes the proof of the fact that $C(\epsilon) \neq \emptyset$ and $W(\epsilon) = \emptyset$.

Since example 5.1 satisfies all the conditions of Theorem 4.1 except assumption (a.0) (note that $\operatorname{int}\ell_2^+ = \varphi$), we can conclude that if positive results are to be obtained in spaces whose positive cone has an empty norm interior some additional assumption needs to be imposed. The additional assumption we impose is that of an extremely desirable commodity introduced in Yannelis-Zame (1986), (which is related to the assumption of proper preferences introduced by Mas-Colell (1986)).

6. CORE-WALRAS EQUIVALENCE IN SEPARABLE BANACH LATTICES WHOSE POSITIVE CONE HAS AN EMPTY INTERIOR

We begin by defining the notion of an extremely desirable commodity. Let E be a Banach lattice and denote its positive cone (which may have an empty norm

interior) by E_+ . Let $v \in E_+$, $v \ne 0$. We say that $v \in E_+$ is an extremely desirable commodity if there exists an open neighborhood U such that for each $x \in E_+$ and each $t \in T$, we have that $x + \alpha v - z >_t x$ whenever $\alpha > 0$, $z \le x + \alpha v$ and $z \in \alpha U$. In other words, v is extremely desirable if an agent would prefer to trade any commodity bundle z for an additional increment of the commodity bundle v, provided that the size of z is sufficiently small compared to the increment of v. The above notion has a natural geometric interpretation. In particular, let $v \in E_+$, $v \ne 0$, U be an open neighborhood and define the open cone C as follows:

$$C = \{\alpha \ v - z : \alpha > 0, z \in E, z \in \alpha U\}.$$

The bundle v is said to be an extremely desirable commodity, if for each $x \in E_+$, and each teT we have $y >_t x$ whenever y is an element of $(C + x) \cap E_+$. This implies that v is an extremely desirable commodity if for each $x \in E_+$ we have that $((-C + x) \cap E_+) \cap \{y : y >_t x\} = \emptyset$, or equivalently $-C \cap \{y - x \in E_+: y >_t x\} = \emptyset$.

Recall that if the preference relation $>_t$ is monotone and intE $_+ \neq \varphi$, then the assumption of an extremely desirable commodity is automatically satisfied (see for instance Yannelis-Zame (1986)).

We now state our assumptions:

- (a.8) E is any separable Banach lattice.
- (a.9) (Extremely desirable commodity): Let $v \in E_+/\{0\}$ and U be an open convex neighborhood. Let C be the cone spanned by v + U. The bundle v is said to be an extremely desirable commodity with respect

to U, if for each $x \in E_+$ and each $t \in T$, we have $y >_t x$ whenever y is an element of $(C + x) \cap E_+$.

Let $\delta_{\mathbf{i}}$, i=1,...,n be positive real numbers with $\sum_{\mathbf{i}=1}^{n}\delta_{\mathbf{i}}=1$.

(a.10) Let U of (a.9) satisfy the following condition: if $x_i \in E_+$, $x_i \notin \delta_i U, \ i=1,2,\ldots,n \text{ then } \sum_{i=1}^n x_i \notin \sum_{i=1}^n \delta_i U = U.$

We note that in assumption (a.10) the additivity condition only concerns the neighborhood of the extremely desirable commodity, not the commodity space. To clarify this point we shall consider a specific example. Consider the space $L_p(\Omega)$, $1 \le p < \infty$ where Ω is a finite separable measure space. From Holder's inequality, for $f \in L_p(\Omega)$ we have that $\|f\|_1 \le C\|f\|_p$ for some constant C depending only on p and Ω . Suppose now that assumption (a.9) is satisfied with U containing a neighborhood U' of the form: $U' = \{f \in L_p \colon \|f\|_1 < \epsilon\}.$

Then U' is open in L because of the inequality mentioned above. Moreover (a.10) is also satisfied. Roughly speaking we require the neighborhood U' of the extremely desirabe commodity to be "large" in the topology of E.

Finally we need:

(a.11) For each $x \in E_+$, the sets $\{y \in E_+ : y >_t x\}$ and $\{y \in E_+ : x >_t y\}$ are norm open in E_+ for all $t \in T$.

We can now state the following result.

Theorem 6.1: Under assumptions (a.1) - (a.11), $C(\epsilon) = W(\epsilon)$.

<u>Proof</u>: It can be easily shown that $W(\epsilon) \subset C(\epsilon)$. Hence, we will show that if $x \in C(\epsilon)$ then for some price p, the pair (x,p) is a competitive equilibrium for ϵ .

Define the correspondence ϕ : T \rightarrow 2^E+ by

(6.1)
$$\phi(t) = \{z \in E_+ : z >_t x(t)\} \cup \{e(t)\}.$$

Let C be the open cone spanned by the set v + U given by assumptions (a.9)(a.10), i.e., $C = \text{span } \{0, v + U\} \equiv \bigcup \alpha(v + U)$. We claim that:

(6.2)
$$cl(\int \phi - \int e) \cap -C = \phi$$

or equivalently

$$(6.3) \quad (\int \phi - \int e) \cap -C = \phi.$$

Since -C is open it suffices to show that for any $y \in S_{\phi}$ there exists a sequence $((\bar{y}^k, \bar{e}^k) : k=1,2,...)$ in $L_1(\mu,E) \times L_1(\mu,E)$ such that \bar{y}^k converges in the $L_1(\mu,E)$ norm to y, $f\bar{e}^k \to fe$, and

(6.4)
$$\int_{\mathbf{T}} \tilde{\mathbf{y}}^k - \int_{\mathbf{T}} \tilde{\mathbf{e}}^k \notin -\mathbf{C}$$
.

Let $S = \{t : y(t) >_t x(t)\}$, S' = T/S. Without loss of generality we may assume that $\mu(S) > 0$, (for if $\mu(S) = 0$ then $y(t) = e(t) \mu$ -a.e. which implies that $\int y$ -

 $\int e = 0 \notin -C$. Consequently (6.3) holds). In the argument below y and e are restricted to S. Moreover, denote by μ_S the restriction of μ to S. Since, y: S \rightarrow E₊ is Bochner integrable and >_t is norm continuous (assumption (a.11)) there exist $y_1^k, \ldots, y_{m_1}^k$ in E₊ and $T_1^k, T_2^k, \ldots, T_{m_2}^k$ in τ such that y^k

converges in the $\mathbf{L}_{1}\left(\boldsymbol{\mu}_{S},\mathbf{E}\right)$ norm to y, and

(6.5)
$$y^{k} = \sum_{i=1}^{m} y_{i}^{k} \chi_{T_{i}}^{k}$$

(6.6)
$$y_i^k >_t x(t)$$
 for all $t \in T_i^k$ and all $i, i=1,...,m_k$, and

(6.7)
$$\mu_{S}(T_{i}^{k}) = \xi$$
, i=1,..., m_{k} , (where ξ is a real positive number).

Let
$$e^k = \sum_{i=1}^{m_k} (\int_{T_i^k} e(t) d\mu(t)) \chi_{T_i^k}$$
.

Claim 6.8:
$$\int_{S} y^k - \int_{S} e^k \notin -C$$
.

Assume that Claim 6.8 holds (a proof is given at the end of this Section). We can now construct the sequence $((\bar{y}^k, \bar{e}^k) : k=1,2,...)$. In particular, define \bar{y}^k : $T \to E_+$ by

$$\bar{y}^k(t) = \begin{cases} y^k(t) & \text{if } t \in S \\ y(t) & \text{if } t \notin S. \end{cases}$$

Similarly define e^{k} : $T \rightarrow E_{+}$ by

$$\bar{e}^k(t) = \begin{cases} e^k(t) & \text{if } t \in S \\ e(t) & \text{if } t \notin S. \end{cases}$$

Note that $\int_T \bar{y}^k$ - $\int_T \bar{e}^k \notin$ -C and therefore (6.4) holds.

We can now separate the convex nonempty set $c \ell \int \phi$ - $\int e$ from the convex nonempty set -C, proceeding as in the proof of Theorem 4.1.

<u>Proof of Claim 6.8</u>: We will argue by contradiction, and for notational convenience we will drop the index k.

Suppose that Claim 6.8 is false, then

$$\sum_{i=1}^{m} y_i \xi - \sum_{i=1}^{m} e_i \xi \in -\alpha(v+U), \text{ and therefore }$$

(6.9)
$$\sum_{i=1}^{m} y_i + w - u = \sum_{i=1}^{m} e_i,$$

where
$$w = \frac{\alpha}{\xi} v$$
, $u \in \frac{\alpha}{\xi} U$.

Note that without loss of generality we may assume that $u \ge 0$, (otherwise since $u = u^+ - u^-$, we may define $\hat{y}_i = y_i + \frac{u^+}{m}$. Then $\hat{y}_i \ge 0$ and $u^- \in \alpha U$, (recall that U can be assumed to be solid), $\hat{y}_i >_t x(t)$ for all $t \in T_i$ and all i and one can proceed by substituting y_i for \hat{y}_i).

It follows from (6.9) that for any m-tuple $(\theta_1, \ldots, \theta_m)$, $\theta_i \ge 0$ (i=1,...,m), m m m m $\Sigma \theta_i = 1$ we have that $\Sigma (y_i + \theta_i w) - u = \Sigma e_i \ge 0$, and therefore i=1 i=1

(6.10)
$$u \leq \sum_{i=1}^{m} (y_i + \theta_i w).$$

Applying the Riesz Decomposition Property in (6.10) we obtain u_1, \ldots, u_m in E_+ such that

(6.11)
$$\sum_{i=1}^{m} u_i = u, u_i \le y_i - \theta_i w \text{ for all } i.$$

(It is easy to see that the proof of the Riesz Decomposition Property provides an algorithm to choose in a unique way the $u_{\mathbf{i}}$'s above).

For each i, define \tilde{y}_i : $[0,1] \rightarrow E_+$ by $\tilde{y}_i(\theta) = y_i + \theta_i w - u_i$. Moreover, for each i set $F_i(\tilde{y}_i(\theta)) = \text{dist } (\tilde{y}_i(\theta), C + y_i) = \delta_i(\theta)$. Let $\Delta = \{q \in R_+^m : \sum_{i=1}^m q_i = 1\}$. Define the continuous mapping $f: \Delta \rightarrow \Delta$ by $f(\theta) = \left(\frac{(\theta_i + \delta_i)}{m}\right)_{i=1}^m$. By $1 + \sum_{i=1}^m \delta_i$

Brouwer's fixed point theorem, there exists $\theta * \in \Delta$ such that $\theta * = f(\theta *)$, i.e.,

(6.12)
$$\delta_{i} = \theta_{i}^{*} \sum_{j=1}^{m} \delta_{j}, i=1,\ldots,m.$$

If we show that $\sum\limits_{j=1}^{m} \delta_j = 0$ then by the definition of F_i , $\widetilde{y}_i(\theta^*) \in c\ell(C + y_i) \cap E_+$ and by continuity (assumption (a.11)) and the assumption of an extremely desirable commodity (assumption (a.9)) $\widetilde{y}_i(\theta^*) \geqslant_t y_i$ for all $t \in T_i$, and all i. Moreover, since $y_i >_t x(t)$ for all $t \in T_i$ and for all i by transitivity $\widetilde{y}_i(\theta^*) >_t x(t)$ for all $t \in T_i$ and for all i. Also $\{\sum\limits_{i=1}^{m} \widetilde{y}_i(\theta^*) = \sum\limits_{i=1}^{m} e_i \xi = \int e$. Define $\widetilde{y} = \sum\limits_{i=1}^{m} \widetilde{y}_i(\theta^*) \times_{T_i}$ and note that $\int_S \widetilde{y} = \int_S e$. Therefore we have found an allocation $\widetilde{y}(\cdot)$ which is feasible for the coalition S and preferred to $x(\cdot)$ which in turn was assumed to be in the core of ϵ , a contradiction. Consequently, we conclude that Claim 6.8 holds. Hence, all that remains to be shown is that $\sum\limits_{j=1}^{m} \delta_j = 0$.

To this end suppose that $\sum\limits_{j=1}^{m}\delta_{j}>0$. Notice that by (6.12) we have that θ_{i}^{*} = 0 if and only if δ_{i} = 0. Define J, K \subset I = (1,2,...,m) as follows:

 $J = \{i \in I : \delta_i = 0\}, \ K = I \setminus J. \ \text{Note that } J = \{i \in I : \theta_i^* = 0\}. \ \text{Consider any } i \in J; \text{ then by the definition of } \widetilde{y}_i(\cdot) \text{ we have that } \widetilde{y}_i(\theta^*) = y_i - u_i. \ \text{Now if } u_i \neq 0, \text{ by monotonicity } y_i >_t \widetilde{y}_i(\theta^*) \text{ and by virtue of continuity and extreme } \text{desirability we can conclude that } \widetilde{y}_i(\theta^*) \notin \text{cl}(C + y_i). \ \text{By the definition of } F_i, \\ \delta_i > 0, \text{ a contradiction to the fact that } i \in J. \ \text{Hence, } u_i = 0 \text{ for } i \in J \text{ and so } i \neq 0.$

(6.13)
$$\sum_{i \in I} u_i = \sum_{i \in K} u_i = u.$$

Consider any $i \in K$, i.e., $\delta_i > 0$, then by the definition of F_i , it follows that $\tilde{y}_i(\theta^*) = y_i + \theta_i^* w - u_i \notin C + y_i$ for every $i \in K$, and therefore,

 $\theta_{i}^{*}w - u_{i} \notin C \text{ for all } i \in K \text{ which in turn implies that } u_{i} \notin \theta_{i}^{*} \frac{\alpha}{\xi} \text{ U for all } i \in K.$ It follows from (6.13), the fact that $u_{i} \notin \theta_{i}^{*} \frac{\alpha}{\xi} \text{ U for all } i \in K,$

 $\Sigma \theta_i^* = 1$ and assumption (a.10) that $\Sigma u_i = \Sigma u_i = u \notin \frac{\alpha}{\xi}$ U, which contradicts $i \in K$

(6.9), (i.e., $u \in \frac{\alpha}{\xi}$ U). The above contradiction establishes that $\sum_{j=1}^{m} \delta_j = 0$ and this completes the proof of Claim 6.8.

7. CONCLUDING REMARKS

Remark 7.1: The separability condition on our commodity space E was used in the proof of Theorems 4.1 and 6.1 at one point only. In particular, it was used to make the result of Hiai-Umegaki (1977) or Hildenbrand (1974, Proposition 6, p. 63) applicable - note that Hildenbrand's argument remains valid for correspondences taking values in a separable metric space -, (recall (4.6)). This result is proved via the measurable selection theorem, which requires separability of the range of the correspondence.

Remark 7.2: Bewley (1973) and Mertens (1970) have proved a core-Walras equivalence theorem for a commodity space, which is L_{∞} . Their assumptions on preferences and endowments are stronger than the ones used in the present paper. It is worth noting that Bewley and Mertens, both endow L_{∞} with the Mackey topology (L_{∞} , Mackey), and they are in a setting of a separable space whose positive cone has an empty interior. Consequently, Bewley and Mertens may be considered as predecessors of Theorem 6.1 (of course without using the extreme desirability assumption in the Mackey sense).

Remark 7.3: Subsequent to the writing of the present paper, Cheng (1987) and Zame (1987), following the coalitional approach of Vind·(1964), Richter (1971) and Armstrong-Richter (1985), have obtained core-Walras equivalence theorems. Although their results are not directly comparable with ours, it appears that our assumptions on preferences are weaker than theirs.

Remark 7.4: We now indicate how our methods can cover the space $m(\Omega)$, used by Mas-Colell (1975). Specifically, Mas-Colell considers as commodity spaces the set of bounded, signed (Borel) measures on Ω , denoted by $m(\Omega)$. He endows $m(\Omega)$ with the weak topology. Note the weak topology on norm bounded subsets of $m(\Omega)$ is separable and metrizable. Since preferences are also endowed with the weak topology in order to obtain the counterpart of Theorem 6.1, one needs to work with allocations which are Gelfand integrable functions (see Khan (1985), for a definition). The argument used to prove Theorem 6.1 remains unchanged, provided that one uses the fact that the weak closure of the Gelfand integral of correspondence (5.1) is convex [see Khan (1985, Claim 3, p. 265)], and by noting that since we are in a setting of a locally convex, separable and metrizable linear topological space, the measurable selection theorem is applicable and therefore the counterpart of Hiai-Umegaki (1977), theorem for the Gelfand integral holds as well. Ostroy and Zame (1988) have provided a related argument.

Remark 7.5: It is worth pointing out that as is Aumann (1964) under the assumptions of either Theorem 4.1 or 6.1 both the Walrasian Equilibrium and the core may be empty. It should also be mentioned that there is no convexification effect on aggregation, i.e., the aggregate demand set is not necessarily convex [recall that the Lyapunov theorem fails in infinite dimensional spaces, it is only approximately true and so is the Fatou Lemma, see, for instance, Yannelis (1988, 1989) and Rustichini (1989).] However, recently Rustichini-Yannelis (1988) have shown that one can still have the convexifying effect on aggregation provided that the economy have "many more agents than commodities", i.e., the dimension of the measure space of agents in bigger than the dimension of the commodity space. The concept of dimension has of course to be given a rigorous formulation.

FOOTNOTES

- 1. Recently, substantial progress has been made in establishing existence results for the competitive equilibrium in exchange economies with finitely many agents and with a commodity space which is general enough to encompass all the spaces mentioned above, (see for instance Mas-Colell (1986) or Yannelis-Zame (1986) among others). Moreover, some progess has been made in obtaining equilibrium existence results for perfectly competitive economies, i.e., economies with an atomless measure space of agents a la Aumann (1966) and with an infinite dimensional commodity space (see for instance, Khan-Yannelis (1986), Yannelis (1987), and Zame (1987)). However, the core has received significantly less attention in infinite dimensional settings.
- 2. It should be noted that a precursor of the assumption of uniform properness is in Chichilnisky-Kalman (1980). In particular, in order to apply Hahn-Banach-type separation theorems in spaces whose positive cone has an empty interior, they introduced a related assumption with that of uniform properness used by Mas-Colell.
- 3. > is defined to be the asymmetric part of the weak preference relation \geq , i.e., we say that x > y if and only if x \geq y and not y \geq x. This is not needed for Theorem 4.1. However, it is used in the proof of Theorem 6.1.
- 4. We will say that an element x of E is strictly positive (and write x >> 0) if $\Pi \cdot x > 0$ whenever Π is a positive non-zero element of E_{\perp} .
- 5. This is so since intE_ is an open set. In particular, if A and B are subsets of any topological space and B is open, then it can be easily seen that $A \cap B = \emptyset$ if and only if $c \ell A \cap B = \emptyset$.

REFERENCES

- Aliprantis, C. D. and O. Burkinshaw (1978), Locally Solid Riesz Spaces, Academic Press, New York.
- Aliprantis, C. D. and O. Burkinshaw (1985), Positive Operators, Academic Press, New York.
- Anderson, R. M. (1986), "Notions of Core Convergence," in *Contributions to Mathematical Economies*, W. Hildenbrand and A. Mas-Colell, eds., North-Holland, Amsterdam.
- Armstrong, T. and M. K. Richter (1985), "The Core-Walras Equivalence," *Journal of Economic Theory*, 33, 116-151.
- Aumann, R. J. (1964), "Markets with a Continuum of Agents," Econometrica, 22, 265-290.
- Aumann, R. J. (1966), "Existence of Competitive Equilibrium in Markets with a Continuum of Traders," *Econometrica*, 34, 1-17.
- Bewley, T. (1970), "Equilibrium Theory with an Infinite Dimensional Commodity Space," Doctoral Dissertation, University of California, Berkeley, CA.
- Bewley, T. (1973), "The Equality of the Core and the Set of Equilibria in Economies with Infinitely Many Commodities and a Continuum of Agents," *International Economic Review*, 14, 383-393.
- Cheng, H. (1987), "The Principle of Equivalence."
- Chichilinisky, G. and P. J. Kalman (1980), "Application of Functional Analysis to Models of Efficient Allocation of Economic Resources," *Journal of Optimization Theory and Applications*, 30, 19-32.
- Court, L. (1941), "Enterpreneurial and Consumer Demand Theories Commodity Spectra," *Econometrica*, 9, 135-162.
- Datko, R. (1975), "On the Integration of Set-Valued Mappings in a Banach Space," Fundamenta Mathematicae, LXXVIII, 205-208.
- Debreu, G. (1954), "Valuation Equilibrium and Pareto Optimum," *Proceedings of the National Academy of Sciences*, 40, 588-592.
- Debreu, G. and H. Scarf (1963), "A Limit Theorem on the Core of an Economy," International Economic Review, 4, 235-246.
- Emmons, D. and N. C. Yannelis (1985), "On Perfectly Competitive Economies: Loeb Economies," in *Advances in Equilibrium Theory*, eds. C. D. Aliprantis, et.al., Springer-Verlag, Berlin, Heidelberg, New York.
- Gabszewicz, J. J. (1968), "A Limit Theorem on the Core of an Economy with a Continuum of Commodities."
- Hiai, F. and H. Umegaki (1977), "Integrals, Conditional Expectations and Martingales of Multivalued Functions," *Journal of Multivariate Analysis*, 7, 149-182.

- Hildenbrand, W. (1974), Core and Equilibria of a Large Economy, Princeton University Press, Princeton, New Jersey.
- Khan, M. Ali (1985), "On the Integration of Set-Valued Mappings in a non-Reflexive Banach Space, II," Simon Stevin, 59, 257-268.
- Khan, M. Ali and N. C. Yannelis (1986), "Equilibria in Markets with a Continuum of Agents and Commodities."
- Mas-Colell, A. (1975), "A Model of Equilibrium with Differentiated Commodities," *Journal of Mathematical Economics*, 2, 263-293.
- Mas-Colell, A. (1986), "The Price Equilibrium Existence Problem in Topological Vector Lattices," *Econometrica*, 54, 1039-1053.
- Mertens, F.-J. (1970), "An Equivalence Theorem for the Core of an Economy with Commodity Space L_{∞} ."
- Ostroy, J. and W. R. Zame (1988), "Non-Atomic Exchange Economies and the Boundaries of Perfect Competition."
- Peleg, B. and M. Yaari (1970), "Markets with Countably Many Commodities," *International Economic Review*, 11, 369-177.
- Richter, M. K. (1971), "Coalition Cores and Competition," *Journal of Economic Theory*, 3, 323-334.
- Rustichini, A., (1989), "A Counterexample and an Exact Version of Fatou's Lemma in Infinite Dimensions," Archiv der Mathematik, 52, 357-362,
- Rustichini, A. and N. C. Yannelis (1988), "What is Perfect Competition?"
- Schaefer, H. (1974), Banach Lattices and Positive Operators, Springer-Verlag, Berlin.
- Vind, K. (1964), "Edgeworth Allocations in an Exchange Economy with Many Traders," *International Economic Review*, 5, 165-177.
- Yannelis, N. C. (1987), "Equilibria in Non-Cooperative Models of Competition," *Journal of Economic Theory*, 41, 96-111.
- Yannelis, N. C. (1988), "Fatou's Lemma in Infinite Dimensions," *Proceedings of the American Mathematical Society*, 102, 303-310.
- Yannelis, N. C. (1989), "On the Upper and Lower Semicontinuity of the Aumann Integral," Journal of Mathematical Economics, (forthcoming).
- Yannelis, N. C. and W. R. Zame (1986), "Equilibria in Banach Lattices without Ordered Preferences," *Journal of Mathematical Economics*, 15, 85-110.
- Zame, W. R. (1987), "Markets with a Continuum of Traders and Infinitely Many Commodities."



